


Agila® Ceiling Supply Unit Medical Supply Units

Featuring a wide range of configurations and options to choose from, the compact and highly ergonomic Dräger Agila® family uses a minimum of precious care care-area.



Benefits

Space-saving versatility

The Dräger Agila family of ceiling supply units can enhance care-area efficiency in a number of ways. By getting devices and media supplies off the floor and positioned exactly where you need them, the Agila supports improved patient access, optimised workspace ergonomics and safety, overall ward hygiene as well as faster clean-up and turnaround times. The Agila is compatible with a wide range of the workstation components and can even be fitted with Dräger Color Line media panels to compliment a room colour scheme that promotes both healing and well-being.

Custom-built manoeuvrability

Through a wide range of modular components, the Agila can be tailored to suit your individual needs. Agila arm profiles are available in the lengths of 500, 750, 1,000 and 1,250 mm. These can be freely combined, providing a span of up to 6 m for the complete double-arm system. Arms and column feature 330° rotation. Conveniently located keypads and large, ergonomically shaped handles allow a single operator to quickly and precisely readjust the Agila in any dimension. Its colour-coded rotational joints are equipped with our DualBrake plus™ braking system to ensure safe operation.

Agila Column

Available in lengths of 400, 500, 1,000, 1,250 and 1,500 mm, the Agila supply column features full-length media panels on both sides as well as the rear of the column for the installation of terminals for gases, electricity or data as needed. Vertical front rails with a total loading capacity of up to 120 kg offer easy and free height adjustment of shelves, drawers, extension arms and other workstation components.

Agila Column Tube

The Agila Column Tube gives you the advantages of the Agila standard but uses three full-length stainless steel tubes plus horizontal stainless steel rails top and bottom, enabling device positioning on all sides. The Agila Column Tube is available in lengths of 1,250 mm and 1,500 mm.

Agila Head

The Agila supply head is a compact solution for the OR and ICU, offering up to 120 kg load capacity. The head features front, rear and bottom panels for media installation. Single or twin vertical stainless steel tubes can be fitted directly beneath the head to accommodate rack components in three standard widths. The rack is accessible from all sides, making it ideally suited as a general work surface or for device positioning.

Agila EasyLift

The Agila EasyLift is a compact yet complete ceiling supply system that can help you to improve workflow, and effectively manage space, and can be configured for a number of ICU and OR applications. Its design allows rapid, practically effortless positioning of the supply unit in all three dimensions, giving you a clear advantage in

Benefits

critical situations. It gives you ample internal storage space for power supplies and cable leads, keeping these potential dust magnets behind closed doors and out of your working environment.

Positioning in 3D

The Agila offers enhanced positioning as well as lifting capability. This gives you the ability to adapt to constantly changing workflow profiles and clinical situations. The Agila helps you make the most of the space available.

System components



D-2536-2011

Dräger Mova® Cart 2.0

With Mova Cart, you are choosing a mobile, flexible and safe workplace concept. Streamline your workflow and reduce the workload on your operating room and intensive care staff with an efficient and highly mobile device transport and docking system.

Accessories



Rails & Holders

Optional rails can be used in combination with a wide range of Dräger accessories, as well as conformity-assessed third-party equipment.



Shelves & Drawers

Drawers and document compartments can optionally be added below the shelves. The automatic closing function ensures that drawers and documentation modules close silently.



Infusion Management

Adaptation for infusion pumps and other equipment that can be attached to the Agila column.

Related Products

MT-6853-2008



Movita® Ceiling Supply Unit

Featuring a wide range of configurations and options to choose from, the versatile Dräger Movita® family gives you enhanced loading capacity together with virtually unlimited positioning capability.

D-18484-2010



Dräger Forta® Ceiling Supply Unit

Featuring heavy-duty loading capacity and a wide range of configurations and options to choose from, the Dräger Forta® Ceiling Supply Unit provides virtually unlimited positioning capability for serious equipment loads in your OR.


MT-466-2008



Ponta® Beam Supply System

Featuring a wide range of beam lengths, column types and workstation options to choose from, the versatile Dräger Ponta® gives you the ability to supply and position medical equipment and devices for enhanced workspace efficiency.

D-31490-2011



Dräger Gemina®DUO

Whether you are equipping an emergency room, an intensive care unit, an intermediate care unit or a recovery room, the Dräger GeminaDUO® wall-mounted supply column system lets you choose from a wide range of configurations and options, helping to create a workspace for efficient, patient-centred care.

Technical Data

Ceiling mounting	Suspended ceiling depth up to 1,200 mm Mounting on concrete ceiling uses heavy-duty anchors (other construction also possible)
Arm length	500 mm, 750 mm, 1,000 mm, 1,250 mm and their combinations

Max. load: column / column tube / head

	Non-height-adjustable Agila:	Height-adjustable Agila:		
	Agila:	Agila Lift:	Agila Lift Express:	Agila EasyLift:*
1-arm system				
500 mm	120 kg	-	-	-
750 mm	120 kg	-	-	-
1,000 mm	120 kg	120 kg	80 kg	50 kg (500 mm Head) / 40 kg (750 mm Head)
1,250 mm	120 kg	-	-	-

*the 750mm Head is only available for the Agila EasyLift

2-arm system

1,000 mm	120 kg	-	-	-
1,250 mm	120 kg	-	-	-
1,500 mm	120 kg	120 kg	80 kg	50 kg (500 mm Head) / 40 kg (750 mm head)
1,750 mm	120 kg	120 kg	80 kg	50 kg / 40 kg
2,000 mm	120 kg	120 kg	80 kg	50 kg / 40 kg
2,250 mm	120 kg	120 kg	80 kg	50 kg / 40 kg
2,500 mm	120 kg	-	-	-

Service components*

Media Head 500	max. 16 outlets
Media Head 750	max. 22 outlets
Media Column 400	max. 15 outlets
Media Column 500	max. 18 outlets
Media Column 1,000	max. 33 outlets
Media Column 1,250	max. 42 outlets
Media Column 1,500	max. 51 outlets
Media Column Tube 1,250	max. 26 outlets
Media Column Tube 1,500	max. 32 outlets
Swivelling range and stops	330° at all joints, possible stop settings every 8° resp. 15° (intermediate bearing every 15°)
Lifting speed** and max. height adjustment	Agila lift: approx. 20 sec. for 600 mm ± 25 mm Agila lift express: approx. 10 sec. for 600 mm ± 25 mm
Colour	standard: anodised aluminium; on request: RAL 9002 or other colours from Color Line
Classification	Class II b acc. to MDD 93/42/EEC, appendix IX UMDNS Code: 18-046

* Max. number of service components (electrical outlets and terminal units) based on components corresponding to DIN-CE standard

** Lifting speed may vary depending on the country-specific mains voltage

Notes

Notes

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53-55
23558 Lübeck, Germany
www.draeger.com

Manufacturer:

Dräger Medical GmbH
Moislinger Allee 53-55
23558 Lübeck, Germany

As of August 2015

Dräger Medical GmbH changes
to Drägerwerk AG & Co. KGaA

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Medical GmbH
Moislinger Allee 53-55
23558 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH

Dräger Médical S.A.S.
Parc de Haute Technologie
d'Antony 2
25, rue Georges Besse
92182 Antony Cedex, France
Tel +33 1 46 11 56 00
Fax +33 1 40 96 97 20
d1mfr-contact@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Medical GmbH
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA / PACIFIC

Draeger Medical
South East Asia Pte Ltd.
25 International Business Park
#04-27/29 German Centre
Singapore 609916, Singapore
Tel +65 6572 4388
Fax +65 6572 4399
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama Comercial
S. de R.L.
Complejo Business Park,
V tower, 10th floor
Panama City
Tel +507 377 9100
Fax +507 377 9130
contactcsa@draeger.com

Locate your Regional
Sales Representative at:
www.draeger.com/contact

